CSci 127: Introduction to Computer Science



Finished the lecture preview?

hunter.cuny.edu/csci

200

1/50

This lecture will be recorded

CSci 127 (Hunter) Lecture 4 28 September 2021

• This is a VERY large course 700+ students



CSci 127 (Hunter) Lecture 4 28 September 2021 2 / 50

- This is a VERY large course 700+ students
- There are staffing constraints and covid-mandated capacity restrictions in lab 1001E



2/50

CSci 127 (Hunter) Lecture 4 28 September 2021

- This is a VERY large course 700+ students
- There are staffing constraints and covid-mandated capacity restrictions in lab 1001E
- It is important that you make appointments and stick to appointment time (arrival time and duration)



- This is a VERY large course 700+ students
- There are staffing constraints and covid-mandated capacity restrictions in lab 1001E
- It is important that you make appointments and stick to appointment time (arrival time and duration)
- If you think you need more time, please book 2 or 3 consecutive tutoring appointments



- This is a VERY large course 700+ students
- There are staffing constraints and covid-mandated capacity restrictions in lab 1001E
- It is important that you make appointments and stick to appointment time (arrival time and duration)
- If you think you need more time, please book 2 or 3 consecutive tutoring appointments
- If a UTA tells you your appointment time is up, please leave the lab and schedule another appointment



Testes Conges

Expert
Help

Freedware

Freed

- This is a VERY large course 700+ students
- There are staffing constraints and covid-mandated capacity restrictions in lab 1001E
- It is important that you make appointments and stick to appointment time (arrival time and duration)
- If you think you need more time, please book 2 or 3 consecutive tutoring appointments
- If a UTA tells you your appointment time is up, please leave the lab and schedule another appointment
- If you don't read the week's Online Lab it is difficult to help you. You will spend your tutoring time doing that



- This is a VERY large course 700+ students
- There are staffing constraints and covid-mandated capacity restrictions in lab 1001E
- It is important that you make appointments and stick to appointment time (arrival time and duration)
- If you think you need more time, please book 2 or 3 consecutive tutoring appointments
- If a UTA tells you your appointment time is up, please leave the lab and schedule another appointment
- If you don't read the week's Online Lab it is difficult to help you. You will spend your tutoring time doing that
- Come to tutoring prepared, read the lab, try the homework, then come to lab and we will help

Why Code Review?



 National Association of Colleges and Employers (NACE) on Career Readiness



- National Association of Colleges and Employers (NACE) on Career Readiness
- 8 Competencies, here you will start developing4:



- National Association of Colleges and Employers (NACE) on Career Readiness
- 8 Competencies, here you will start developing
 4:
 - Critical Thinking/Problem Solving



- National Association of Colleges and Employers (NACE) on Career Readiness
- 8 Competencies, here you will start developing
 4:
 - Critical Thinking/Problem Solving
 - ► Oral Communications



- National Association of Colleges and Employers (NACE) on Career Readiness
- 8 Competencies, here you will start developing 4:
 - Critical Thinking/Problem Solving
 - ► Oral Communications
 - ► Teamwork/Collaboration



- National Association of Colleges and Employers (NACE) on Career Readiness
- 8 Competencies, here you will start developing
 4:
 - Critical Thinking/Problem Solving
 - ► Oral Communications
 - ► Teamwork/Collaboration
 - ► Digital Technology



- National Association of Colleges and Employers (NACE) on Career Readiness
- 8 Competencies, here you will start developing
 4:
 - Critical Thinking/Problem Solving
 - ► Oral Communications
 - ► Teamwork/Collaboration
 - ► Digital Technology
- But again, we must process 700+ students:
 - ► Make appointments ahead of time



- National Association of Colleges and Employers (NACE) on Career Readiness
- 8 Competencies, here you will start developing
 4:
 - Critical Thinking/Problem Solving
 - ► Oral Communications
 - ► Teamwork/Collaboration
 - ► Digital Technology
- But again, we must process 700+ students:
 - ► Make appointments ahead of time
 - ▶ Be on time for your appointment



- National Association of Colleges and Employers (NACE) on Career Readiness
- 8 Competencies, here you will start developing
 4:
 - Critical Thinking/Problem Solving
 - ► Oral Communications
 - ► Teamwork/Collaboration
 - ► Digital Technology
- But again, we must process 700+ students:
 - ► Make appointments ahead of time
 - ► Be on time for your appointment
 - If you know you can't make it, cancel so it becomes available for others



- National Association of Colleges and Employers (NACE) on Career Readiness
- 8 Competencies, here you will start developing
 4:
 - Critical Thinking/Problem Solving
 - ► Oral Communications
 - ► Teamwork/Collaboration
 - ► Digital Technology
- But again, we must process 700+ students:
 - ► Make appointments ahead of time
 - ► Be on time for your appointment
 - If you know you can't make it, cancel so it becomes available for others
 - If you are late, we will ask you to reschedule (can't guarantee availability)



Today's Topics



- Recap: Colors
- 2D Arrays & Image Files
 - Decisions
- Design Challenge: Airplanes

Today's Topics



- Recap: Colors
- 2D Arrays & Image Files
- Decisions
- Design Challenge: Airplanes

EmpID: CSci 127 Mock Final, S19

 $2. \ \ \, (a)$ Fill in the boxes with the appropriate hexcode to change the color to match the comments:

import turtle thomasH = turtle.Turtle() i. #Change thomasH to be the color black: thomasH.color("# ") ii. #Change thomasH to be the color white: thomasH.color("# ") iii. #Change thomasH to be the brightest color blue: thomasH.color("# ") iv. #Change thomasH to be the color purple: thomasH.color("# ") v. #Change thomasH to be the color gray: thomasH.color("# ")

EmpID:	CSci 127 Mock Final, S19
2. (a) Fill in the boxes with the appropriate hexcode to change the	color to match the comments:
<pre>import turtle thomasH = turtle.Turtle()</pre>	
i. #Change thomasH to be the color black:	
thomasH.color("# ")	
ii. #Change thomasH to be the color white:	
thomasH.color("# ")	
iii. #Change thomasH to be the brightest color blue:	
thomasH.color("# ")	
iv. #Change thomasH to be the color purple:	
thomasH.color("# ")	
v. #Change thomasH to be the color gray:	
thomasH.color("# ")	

Need to fill in hexcodes (always start with #):

EmpI

	CSci 127 Mock Final, S19
Fill in the boxes with the appropriate hexcode to change the color	to match the comments
<pre>import turtle thomasH = turtle.Turtle()</pre>	
i. #Change thomasH to be the color black:	
thomasH.color("# ")	
ii. #Change thomasH to be the color white:	
thomasH.color("# ")	
iii. #Change thomasH to be the brightest color blue:	
thomasH.color("# ")	
iv. #Change thomasH to be the color purple:	
thomasH.color("# ")	
v. #Change thomasH to be the color gray:	
thomasH.color("# ")	
	Fill in the boxes with the appropriate hexcode to change the color import turtle thomasif = turtle.Turtle() i. sChange thomasif to be the color black: thomasif.color("# " ") iii. sChange thomasif to be the color white: thomasif.color("# " ") iv. sChange thomasif to be the color purple: thomasif.color("# " ") v. sChange thomasif to be the color purple: thomasif.color("# " ") v. sChange thomasif to be the color gray:

• Need to fill in hexcodes (always start with #): R R G G B B

EmpID:		CSci 127 Mock Final, S19
2. (a)	Fill in the boxes with the appropriate hexcode to change the color	to match the comments
	<pre>import turtle thomasH = turtle.Turtle()</pre>	
	i. #Change thomasH to be the color black:	
	thomasH.color("# ")	
	ii. #Change thomasH to be the color white:	
	thomasH.color("# ")	
	iii. #Change thomasH to be the brightest color blue:	
	thomasH.color("# ")	
	iv. #Change thomasH to be the color purple:	
	thomasH.color("# ")	
	v. #Change thomasH to be the color gray:	
	thomasH.color("# ")	

- Need to fill in hexcodes (always start with #): R R G G B B
- Black: 0 0 0 0 0 0

EmpID:		CSci 127 Mock Final, S19
2. (a)	Fill in the boxes with the appropriate hexcode to change the color	to match the comments
	<pre>import turtle thomasH = turtle.Turtle()</pre>	
	i. #Change thomasH to be the color black:	
	thomasH.color("# ")	
	ii. #Change thomasH to be the color white:	
	thomasH.color("# ")	
	iii. #Change thomasH to be the brightest color blue:	
	thomasH.color("# ")	
	iv. #Change thomasH to be the color purple:	
	thomasH.color("# ")	
	v. #Change thomasH to be the color gray:	
	thomasH.color("# ")	

- Need to fill in hexcodes (always start with #): R R G G B B
- Black: 0 0 0 0 0 0

White: F F F F F

EmpID:		CSci 127 Mock Final, S19
2. (a)	Fill in the boxes with the appropriate hexcode to change the color	to match the comments
	<pre>import turtle thomasH = turtle.Turtle()</pre>	
	i. #Change thomasH to be the color black:	
	thomasH.color("# ")	
	ii. #Change thomasH to be the color white:	
	thomasH.color("# ")	
	iii. #Change thomasH to be the brightest color blue:	
	thomasH.color("# ")	
	iv. #Change thomasH to be the color purple:	
	thomasH.color("# ")	
	v. #Change thomasH to be the color gray:	
	thomasH.color("# ")	

- Need to fill in hexcodes (always start with #): R R G G B B
- Black: 0 0 0 0 0 0

- White: F F F F F F
- Blue: 0 0 0 0 F F

EmpID:		CSci 127 Mock Final, S19
2. (a)	Fill in the boxes with the appropriate hexcode to change the color	to match the comments
	<pre>import turtle thomasH = turtle.Turtle()</pre>	
	i. #Change thomasH to be the color black:	
	thomasH.color("# ")	
	ii. #Change thomasH to be the color white:	
	thomasH.color("# ")	
	iii. #Change thomasH to be the brightest color blue:	
	thomasH.color("# ")	
	iv. #Change thomasH to be the color purple:	
	thomasH.color("# ")	
	v. #Change thomasH to be the color gray:	
	thomasH.color("# ")	

- Need to fill in hexcodes (always start with #): R R G G B B
- Black: 0 0 0 0 0 0

- White: F F F F F F
- Blue: 0 0 0 0 F F
- Purple: F F 0 0 F F

EmpID:										CSci 127 Mock Final, S1
2. (a)	Fill	in the bo	xes with th	е ар	propri	ate he	xcode	to d	hange	the color to match the comments
		oort turt	le urtle.Tur	tle)					
	i.	#Change	thomasH t	to b	e the	color	r bla	ck:		
		thomasH	.color("#							")
	ii.	#Change	thomasH t	to b	e the	color	c whi	te:		
		thomasH	.color("#							")
	iii.	#Change	thomasH t	to b	e the	brigh	test	col	or bl	ue:
		thomasH	.color("#							")
	iv.	#Change	thomasH t	to b	e the	colo	pur	ple:		
		thomasH	.color("#							")
	v.	#Change	thomasH t	to b	e the	colo	gra	y:		
		thomasH	.color("#							")

- Need to fill in hexcodes (always start with #): R R G G B B
- Black: 0 0 0 0 0 0
- White: F F F F F F
- Blue: 0 0 0 0 F F
- Purple: F F 0 0 F F
- Gray: 4 2 4 2 4 2

EmpID:		CSci 127 Mock Final, S19
2. (a)	Fill in the boxes with the appropriate hexcode to change the color	to match the comments
	<pre>import turtle thomasH = turtle.Turtle()</pre>	
	i. #Change thomasH to be the color black:	
	thomasH.color("# ")	
	ii. #Change thomasH to be the color white:	
	thomasH.color("# ")	
	iii. #Change thomasH to be the brightest color blue:	
	thomasH.color("# ")	
	iv. #Change thomasH to be the color purple:	
	thomasH.color("# ")	
	v. #Change thomasH to be the color gray:	
	thomasH.color("# ")	

- Need to fill in hexcodes (always start with #): R R G G B B
- Black: 0 0 0 0 0 0

- White: F F F F F F
- Blue: 0 0 0 0 F F
- Purple: F F 0 0 F F
- Gray: 4 2 4 2 4 2 (any choice where RR = GG = BB).

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

• Can specify by name.

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - ► Amount of Red, Green, and Blue (RGB).

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - ► Amount of Red, Green, and Blue (RGB).
 - ► Adding light, not paint:

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - ► Amount of Red, Green, and Blue (RGB).
 - ► Adding light, not paint:
 - ★ Black: 0% red, 0% green, 0% blue

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - ► Amount of Red, Green, and Blue (RGB).
 - ► Adding light, not paint:
 - ★ Black: 0% red, 0% green, 0% blue
 - ★ White: 100% red, 100% green, 100% blue

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

• Can specify by numbers (RGB):

CSci 127 (Hunter) Lecture 4

10 / 50

Color Name	HEX	Color
Black	#000000	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - ► Fractions of each: e.g. (1.0, 0, 0) is 100% red, no green, and no blue.

CSci 127 (Hunter) Lecture 4 28 September 2021 10 / 50

Color Name	HEX	Color
Black	#000000	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - ► Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255:
 - e.g. (0, 255, 0) is no red, 100% green, and no blue.

CSci 127 (Hunter) Lecture 4

10 / 50


Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - ► Fractions of each: e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255: e.g. (0, 255, 0) is no red, 100% green, and no blue.
 - ► Hexcodes (base-16 numbers)...

CSci 127 (Hunter) Lecture 4

10 / 50

Recap: Hexadecimal



```
00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F
10 11 12 13 14 15 16 17 18 19 1A 1B 1C 1D 1E 1F
20 21 22 23 24 25 26 27 28 29 2A 2B 2C 2D 2E 2F
30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3E 3F
40 41 42 43 44 45 46 47 48 49 4A 4B 4C 4D 4E 4F
50 51 52 53 54 55 56 57 58 59 5A 5B 5C 5D 5E 5F
60 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F
70 71 72 73 74 75 76 77 78 79 7A 7B 7C 7D 7E 7F
80 81 82 83 84 85 86 87 88 89 8A 8B 8C 8D 8E 8F
90 91 92 93 94 95 96 97 98 99 9A 9B 9C 9D 9E 9F
AO A1 A2 A3 A4 A5 A6 A7 A8 A9 AA AB AC AD AE AF
BO B1 B2 B3 B4 B5 B6 B7 B8 B9 BA BB BC BD BE BF
CO C1 C2 C3 C4 C5 C6 C7 C8 C9 CA CB CC CD CE CF
DO D1 D2 D3 D4 D5 D6 D7 D8 D9 DA DB DC DD DE DF
EO E1 E2 E3 E4 E5 E6 E7 E8 E9 EA EB EC ED EE EF
FO F1 F2 F3 F4 F5 F6 F7 F8 F9 FA FB FC FD FE FF
```

Colors

Color Name	HEX	Color
Black	<u>#000000</u>	
<u>Navy</u>	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - ► Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255: e.g. (0, 255, 0) is no red, 100% green, and no blue.
 - ► Hexcodes (base-16 numbers):

Colors

Color Name	HEX	Color
Black	<u>#000000</u>	
<u>Navy</u>	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	


- Can specify by numbers (RGB):
 - ► Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255:
 - e.g. (0, 255, 0) is no red, 100% green, and no blue.
 - ► Hexcodes (base-16 numbers):
 - e.g. #0000FF is no red, no green, and 100% blue.

<ロ > < 回 > < 回 > < 豆 > < 豆 > < 豆 > < 豆 > < 豆 > < ⊙ < ○

Today's Topics




- Recap: Colors
- 2D Arrays & Image Files
- Decisions
- Design Challenge: Airplanes




 An array is a sequence of elements, much like a list.


14 / 50




- An array is a sequence of elements, much like a list.
- A 2D array is like a grid of elements, think a list of lists.




- An array is a sequence of elements, much like a list.
- A 2D array is like a grid of elements, think a list of lists.
- Can keep on adding dimensions (3D, etc.)





- An array is a sequence of elements, much like a list.
- A 2D array is like a grid of elements, think a list of lists.
- Can keep on adding dimensions (3D, etc.)
- Can access pieces/slices as we do with strings and lists























We will use 2 useful packages for images:



- We will use 2 useful packages for images:
 - ▶ numpy: numerical analysis package



- We will use 2 useful packages for images:
 - ► numpy: numerical analysis package
 - ► pyplot: part of matplotlib for making graphs and plots



- We will use 2 useful packages for images:
 - ► numpy: numerical analysis package
 - pyplot: part of matplotlib for making graphs and plots
- See lab notes for installing on your home machine.

Images with pyplot and numpy

```
#Import the packages for images and arrays:
import matplotlib.pyplot as plt
import numpy as np
```



```
img = plt.imread('csBridge.png') #Read in image from csBridge.png
plt.imshow(img) #Load image into pyplot
plt.show() #Show the image (waits until close
```

plt.imshow(img2) #Load our new image into pyplot plt.show() #Show the image (waits until closed to conti

plt.imsave('reds.png', img2) #Save the image we created to the file:

Images with pyplot and numpy

```
#Import the packages for images and arrays:
import matplotlib.pyplot as plt
import numpy as np
```



```
img = plt.imread('csBridge.png') #Read in image from csBridge.png
plt.imshow(img) #Load image into pyplot
plt.show() #Show the image (waits until close
```

#make a copy of our image #Set the green channel to 0 #Set the blue channel to 0

plt.imshow(img2) plt.show()

img2 = img.copy()

 $imq2\Gamma:...17 = 0$

imq2[:,:,2] = 0

#Load our new image into pyplot
#Show the image (waits until closed to conti

plt.imsave('reds.png', img2) #Save the image we created to the file:

To create an image from scratch:



To create an image from scratch:

1 Import the libraries.



19 / 50

To create an image from scratch:

Import the libraries.

import matplotlib.pyplot as plt
import numpy as np



To create an image from scratch:

- Import the libraries.
 - import matplotlib.pyplot as plt
 import numpy as np
- ② Create the image— easy to set all color



To create an image from scratch:

- Import the libraries.
 - import matplotlib.pyplot as plt
 import numpy as np
- ② Create the image— easy to set all color ① to 0% (black):



To create an image from scratch:

Import the libraries.

```
import matplotlib.pyplot as plt
import numpy as np
```

② Create the image— easy to set all color

```
① to 0% (black):
```

```
img = np.zeros( (num,num,3) )
```



To create an image from scratch:

Import the libraries.

```
import matplotlib.pyplot as plt
import numpy as np
```

② Create the image— easy to set all color

```
1 to 0% (black):
```

```
img = np.zeros( (num,num,3) )
```

2 to 100% (white):



To create an image from scratch:

Import the libraries.

```
import matplotlib.pyplot as plt
import numpy as np
```

② Create the image— easy to set all color

```
① to 0% (black):
```

```
img = np.zeros( (num,num,3) )
```

a to 100% (white):

```
img = np.ones( (num,num,3) )
```



To create an image from scratch:

Import the libraries.

```
import matplotlib.pyplot as plt
import numpy as np
```

② Create the image— easy to set all color

```
1 to 0% (black):
```

```
img = np.zeros( (num,num,3) )
```

2 to 100% (white):

```
img = np.ones( (num,num,3) )
```

Oo stuff to the pixels to make your image



To create an image from scratch:

Import the libraries.

```
import matplotlib.pyplot as plt
import numpy as np
```

② Create the image— easy to set all color

```
① to 0% (black):
```

```
img = np.zeros( (num,num,3) )
```

2 to 100% (white):

```
img = np.ones( (num,num,3) )
```

- Oo stuff to the pixels to make your image
- 4 You can display your image:



To create an image from scratch:

Import the libraries.

```
import matplotlib.pyplot as plt
import numpy as np
```

② Create the image— easy to set all color

```
1 to 0% (black):
```

```
img = np.zeros( (num,num,3) )
```

2 to 100% (white):

```
img = np.ones( (num,num,3) )
```

- 3 Do stuff to the pixels to make your image
- 4 You can display your image:

```
plt.imshow(img)
plt.show()
```



To create an image from scratch:

Import the libraries.

```
import matplotlib.pyplot as plt
import numpy as np
```

② Create the image— easy to set all color

```
① to 0% (black):
```

```
img = np.zeros( (num,num,3) )
```

② to 100% (white):

```
img = np.ones( (num,num,3) )
```

Oo stuff to the pixels to make your image

4 You can display your image:

```
plt.imshow(img)
plt.show()
```

And save your image:



To create an image from scratch:

Import the libraries.

```
import matplotlib.pyplot as plt
import numpy as np
```

② Create the image— easy to set all color

```
① to 0% (black):
```

```
img = np.zeros((num,num,3))
```

2 to 100% (white):

```
img = np.ones( (num,num,3) )
```

Oo stuff to the pixels to make your image

4 You can display your image:

```
plt.imshow(img)
plt.show()
```


5 And save your image:

```
plt.imsave('myImage.png', img)
```



More on numpy arrays

```
>>> a[0,3:5]
array([3,4])
>>> a[4:,4:]
array([[44, 45],
       [54, 55]])
>>> a[:,2]
array([2,12,22,32,42,52])
>>> a[2::2,::2]
array([[20,22,24]
       [40.42.4411)
```



numpy tutorial

• Basic pattern: img[rows, columns, channels] with: start:stop:step.


CSci 127 (Hunter) Lecture 4 28 September 2021 21 / 50

- Basic pattern: img[rows, columns, channels] with: start:stop:step.
- Assuming the libraries are imported, what do the following code fragments produce:

```
▶ img = np.zeros((10,10,3))
img[0:10,0:5,0:1] = 1
```

CSci 127 (Hunter) Lecture 4 28 September 2021 21/50

- Basic pattern: img[rows, columns, channels] with: start:stop:step.
- Assuming the libraries are imported, what do the following code fragments produce:
 - ▶ img = np.zeros((10,10,3))
 img[0:10,0:5,0:1] = 1



21 / 50


- Basic pattern: *img[rows, columns, channels]* with: *start:stop:step*.
- Assuming the libraries are imported, what do the following code fragments produce:

```
num = 10
img = np.zeros( (num,num,3) )
img[0:2,:,2:3] = 1.0
```

22 / 50

- Basic pattern: *img[rows, columns, channels]* with: *start:stop:step*.
- Assuming the libraries are imported, what do the following code fragments produce:

```
num = 10
img = np.zeros( (num,num,3) )
img[0:2,:,2:3] = 1.0
```





22 / 50


- Basic pattern: *img[rows, columns, channels]* with: *start:stop:step*.
- Assuming the libraries are imported, what do the following code fragments produce:

```
num = int(input('Enter size'))
img = np.zeros((num,num,3))
img[:,::2,1] = 1.0
```

CSci 127 (Hunter) Lecture 4 28 September 2021 23 / 50

- Basic pattern: *img[rows, columns, channels]* with: *start:stop:step*.
- Assuming the libraries are imported, what do the following code fragments produce:

```
num = int(input('Enter size'))
img = np.zeros( (num,num,3) )
img[:,::2,1] = 1.0
```





23 / 50

- Basic pattern: img[rows, columns, channels] with: start:stop:step.
- Assuming the libraries are imported, what do the following code fragments produce:

```
► img = np.ones((10,10,3))
img[0:10,0:5,0:2] = 0
```

24 / 50

- Basic pattern: img[rows, columns, channels] with: start:stop:step.
- Assuming the libraries are imported, what do the following code fragments produce:

```
img = np.ones((10,10,3))
img[0:10,0:5,0:2] = 0

num = int(input('Enter size '))
img = np.ones((num,num,3))
img[::2,:,1:] = 0
```

- Basic pattern: img[rows, columns, channels] with: start:stop:step.
- Assuming the libraries are imported, what do the following code fragments produce:

```
img = np.ones((10,10,3))
img[0:10,0:5,0:2] = 0

num = int(input('Enter size '))
img = np.ones((num,num,3))
img[::2,:,1:] = 0


img = np.zeros((8,8,3))
img[::2,::2,0] = 1
```

- Basic pattern: *img[rows, columns, channels]* with: *start:stop:step*.
- Assuming the libraries are imported, what do the following code fragments produce:

```
▶ img = np.ones((10,10,3))
img[0:10,0:5,0:2] = 0
```

CSci 127 (Hunter) Lecture 4 28 September 2021 25 / 50

- Basic pattern: img[rows, columns, channels] with: start:stop:step.
- Assuming the libraries are imported, what do the following code fragments produce:
 - ▶ img = np.ones((10,10,3))
 img[0:10,0:5,0:2] = 0






- Basic pattern: *img[rows, columns, channels]* with: *start:stop:step*.
- Assuming the libraries are imported, what do the following code fragments produce:

```
num = int(input('Enter size '))
img = np.ones( (num,num,3) )
img[::2,:,1:] = 0
```

26 / 50

- Basic pattern: *img[rows, columns, channels]* with: *start:stop:step*.
- Assuming the libraries are imported, what do the following code fragments produce:

```
num = int(input('Enter size '))
img = np.ones( (num,num,3) )
img[::2,:,1:] = 0
```




- Basic pattern: *img[rows, columns, channels]* with: *start:stop:step*.
- Assuming the libraries are imported, what do the following code fragments produce:


```
▶ img = np.zeros((8,8,3))
img[::2,1::2,0] = 1
```

CSci 127 (Hunter) Lecture 4 28 September 2021 27 / 50

- Basic pattern: img[rows, columns, channels] with: start:stop:step.
- Assuming the libraries are imported, what do the following code fragments produce:
 - ▶ img = np.zeros((8,8,3))
 img[::2,1::2,0] = 1




CSci 127 (Hunter)




① Design a 10 by 10 logo for Hunter College that contains a purple 'H'.


CSci 127 (Hunter)



- f Q Design a 10 by 10 logo for Hunter College that contains a purple 'f H'.
- Your logo should only contain the colors purple and white.





- Design a 10 by 10 logo for Hunter College that contains a purple 'H'.
- Your logo should only contain the colors purple and white.
- How can you make Python draw the logo? Write down a "To Do" list of things you need to do.




- Design a 10 by 10 logo for Hunter College that contains a purple 'H'.
- Your logo should only contain the colors purple and white.
- How can you make Python draw the logo? Write down a "To Do" list of things you need to do.
- If time, refine your steps above into a Python program.

One possible solution:







① Create a 10 by 10 array, logo, that starts out as all white pixels.




- ① Create a 10 by 10 array, logo, that starts out as all white pixels.
- 2 Set the 3 left columns to be purple.



- ① Create a 10 by 10 array, logo, that starts out as all white pixels.
- Set the 3 left columns to be purple.
- 3 Set the 3 right columns to be purple.



- ① Create a 10 by 10 array, logo, that starts out as all white pixels.
- ② Set the 3 left columns to be purple.
- 3 Set the 3 right columns to be purple.
- 4 Set the middle 2 rows to be purple.



- ① Create a 10 by 10 array, logo, that starts out as all white pixels.
- Set the 3 left columns to be purple.
- Set the 3 right columns to be purple.
- Set the middle 2 rows to be purple.
- Save logo array to a file.

① Create a 10 by 10 array, logo, that starts out as all white pixels.

```
0
1
2
3
4
4
7
7
```

① Create a 10 by 10 array, logo, that starts out as all white pixels.

```
import matplotlib.pyplot as plt #import libraries for plotting
import numpy as np  #and for arrays (to hold images)
logoImg = np.ones((10,10,3)) #10x10 array with 3 sheets of 1's
```

31 / 50

① Create a 10 by 10 array, logo, that starts out as all white pixels.

```
import matplotlib.pyplot as plt #import libraries for plotting
import numpy as np  #and for arrays (to hold images)
logoImg = np.ones((10,10,3)) #10x10 array with 3 sheets of 1's
```



① Create a 10 by 10 array, logo, that starts out as all white pixels.

```
import matplotlib.pyplot as plt #import libraries for plotting
import numpy as np  #and for arrays (to hold images)
logoImg = np.ones((10,10,3)) #10x10 array with 3 sheets of 1's
```

Set the 3 left columns to be purple.



Create a 10 by 10 array, logo, that starts out as all white pixels.

```
import matplotlib.pyplot as plt #import libraries for plotting
import numpy as np  #and for arrays (to hold images)
logoImg = np.ones((10,10,3)) #10x10 array with 3 sheets of 1's
```

2 Set the 3 left columns to be purple.

```
#To make purple, we'll keep red and blue at 100% and turn green to 0%
logoImg[:,:3,1] = 0 #Turn the green to 0 for first 3 columns
```



① Create a 10 by 10 array, logo, that starts out as all white pixels.

```
import matplotlib.pyplot as plt #import libraries for plotting
import numpy as np  #and for arrays (to hold images)
logoImg = np.ones((10,10,3)) #10x10 array with 3 sheets of 1's
```

2 Set the 3 left columns to be purple.

```
#To make purple, we'll keep red and blue at 100% and turn green to 0% \log [mg[:,:3,1] = 0 #Turn the green to 0 for first 3 columns
```



Create a 10 by 10 array, logo, that starts out as all white pixels.

```
import matplotlib.pyplot as plt #import libraries for plotting import numpy as np #and for arrays (to hold images) logoImg = np.ones((10,10,3)) #10x10 array with 3 sheets of 1's
```

② Set the 3 left columns to be purple.

```
#To make purple, we'll keep red and blue at 100% and turn green to 0%
logoImg[:,:3,1] = 0 #Turn the green to 0 for first 3 columns
```

Set the 3 right columns to be purple.

```
logoImg[:,-3:,1] = 0 #Turn the green to 0 for last 3 columns
```



Create a 10 by 10 array, logo, that starts out as all white pixels.

```
import matplotlib.pyplot as plt #import libraries for plotting
import numpy as np  #and for arrays (to hold images)
logoImg = np.ones((10,10,3)) #10x10 array with 3 sheets of 1's
```

Set the 3 left columns to be purple.

```
#To make purple, we'll keep red and blue at 100% and turn green to 0%
logoImg[:,:3,1] = 0 #Turn the green to 0 for first 3 columns
```

Set the 3 right columns to be purple.

```
logoImg[:,-3:,1] = 0 #Turn the green to 0 for last 3 columns
```



Create a 10 by 10 array, logo, that starts out as all white pixels.

```
import matplotlib.pyplot as plt #import libraries for plotting
import numpy as np  #and for arrays (to hold images)
logoImg = np.ones((10,10,3)) #10x10 array with 3 sheets of 1's
```

Set the 3 left columns to be purple.

```
#To make purple, we'll keep red and blue at 100% and turn green to 0%
logoImg[:,:3,1] = 0 #Turn the green to 0 for first 3 columns
```

Set the 3 right columns to be purple.

```
logoImg[:,-3:,1] = 0 #Turn the green to 0 for last 3 columns
```

4 Set the middle 2 rows to be purple.



Create a 10 by 10 array, logo, that starts out as all white pixels.

Set the 3 left columns to be purple.

```
#To make purple, we'll keep red and blue at 100% and turn green to 0%
logoImg[:,:3,1] = 0 #Turn the green to 0 for first 3 columns
```

Set the 3 right columns to be purple.

```
logoImg[:,-3:,1] = 0 #Turn the green to 0 for last 3 columns
```

Set the middle 2 rows to be purple.

logoImg[4:6,:,1] = 0 #Turn the green to 0 for middle rows



Translating the Design to Code

Create a 10 by 10 array, logo, that starts out as all white pixels.

```
import matplotlib.pyplot as plt #import libraries for plotting import numpy as np #and for arrays (to hold images) logoImg = np.ones((10,10,3)) #10x10 array with 3 sheets of 1's
```

② Set the 3 left columns to be purple.

```
#To make purple, we'll keep red and blue at 100% and turn green to 0%
logoImg[:,:3,1] = 0 #Turn the green to 0 for first 3 columns
```

Set the 3 right columns to be purple.


```
logoImg[:,-3:,1] = 0 #Turn the green to 0 for last 3 columns
```

Set the middle 2 rows to be purple.

logoImg[4:6,:,1] = 0 #Turn the green to 0 for middle rows



Translating the Design to Code



```
import matplotlib.pyplot as plt #import libraries for plotting
import numpy as np  #and for arrays (to hold images)
logoImg = np.ones((10,10,3)) #10x10 array with 3 sheets of 1's
```

② Set the 3 left columns to be purple.

```
#To make purple, we'll keep red and blue at 100% and turn green to 0%
logoImg[:,:3,1] = 0 #Turn the green to 0 for first 3 columns
```

Set the 3 right columns to be purple.

```
logoImg[:,-3:,1] = 0 #Turn the green to 0 for last 3 columns
```


Set the middle 2 rows to be purple.

```
logoImg[4:6,:,1] = 0 #Turn the green to 0 for middle rows
```

Save logo array to file.



Translating the Design to Code



```
import matplotlib.pyplot as plt #import libraries for plotting import numpy as np #and for arrays (to hold images) logoImg = np.ones((10,10,3)) #10x10 array with 3 sheets of 1's
```

② Set the 3 left columns to be purple.

```
#To make purple, we'll keep red and blue at 100% and turn green to 0%
logoImg[:,:3,1] = 0 #Turn the green to 0 for first 3 columns
```

Set the 3 right columns to be purple.

```
logoImg[:,-3:,1] = 0 #Turn the green to 0 for last 3 columns
```

Set the middle 2 rows to be purple.

```
logoImg[4:6,:,1] = 0 #Turn the green to 0 for middle rows
```

Save logo array to file.

plt.imsave("logo.png", logoImg) #Save the image to logo.png



Today's Topics



- Recap: Colors
- 2D Arrays & Image Files
- Decisions
- Design Challenge: Airplanes

Challenge

Predict what these will do (novel concepts):

```
yearBorn = int(input('Enter year born: '))
if yearBorn < 1946:
    print("Greatest Generation")
elif vearBorn <= 1964:
    print("Baby Boomer")
elif yearBorn <= 1984:
    print("Generation X")
elif vearBorn <= 2004:
    print("Millennial")
else:
    print("TBD")
x = int(input('Enter number: '))
if x % 2 == 0:
    print('Even number')
else:
    print('Odd number')
```

```
import turtle
tess = turtle.Turtle()
myWin = turtle.Screen()
                            #The graphics window
commands = input("Please enter a command string: ")
for ch in commands:
    #perform action indicated by the character
    if ch == 'F':
                             #move forward
        tess.forward(50)
    elif ch == 'l':
                              #turn left
        tess.left(90)
    elif ch == 'R'.
                             #turn right
        tess.right(90)
    elif ch == '^':
                             #lift pen
        tess.penup()
    elif ch == 'v':
                              #lower pen
        tess.pendown()
    elif ch == 'B':
                             #ao backwards
        tess.backward(50)
    elif ch == 'r':
                              #turn red
        tess.color("red")
    elif ch == 'q':
                             #turn green
        tess.color("green")
    elif ch == 'b':
                              #turn blue
        tess.color("blue")
    else:
                             #for any other character
        print("Error: do not know the command:", c)
```

Python Tutor

```
yearBorn = int(input('Enter year born: '))
if yearBorn < 1946:
   print("Greatest Generation")
elif yearBorn <= 1964:
   print("Baby Boomer")
elif yearBorn <= 1984:
   print("Generation X")
                                              (Demo with pythonTutor)
elif yearBorn <= 2004:
   print("Millennial")
else:
   print("TBD")
x = int(input('Enter number: '))
if x % 2 == 0:
   print('Even number')
else:
   print('Odd number')
```

IDLE

```
import turtle
tess = turtle.Turtle()
myWin = turtle.Screen()
                           #The graphics window
commands = input("Please enter a command string: ")
for ch in commands:
    #perform action indicated by the character
    if ch == 'F':
                            #move forward
        tess.forward(50)
    elif ch == 'L':
                            #turn left
        tess.left(90)
                                                           (Demo with IDLE)
    elif ch == 'R':
                            #turn right
        tess.right(90)
    elif ch -- '^':
                            #lift pen
        tess.penup()
    elif ch == 'v':
                            #lower pen
        tess.pendown()
    elif ch == 'B':
                            #go backwards
        tess.backward(50)
    elif ch -- 'r':
                            #turn red
        tess.color("red")
    elif ch == 'a':
                            #turn areen
        tess.color("green")
    elif ch == 'b':
                            #turn blue
        tess.color("blue")
    else:
                           #for any other character
        print("Error: do not know the command:", c)
```


Decisions

```
if x < y:
    print("x is less than y")
elif x > y:
    print("x is greater than y")
else:
    print("x and y must be equal")
```

CSci 127 (Hunter) Lecture 4 28 September 2021 40 / 50

Decisions


```
if x < y:
    print("x is less than y")
elif x > y:
    print("x is greater than y")
else:
    print("x and y must be equal")
```



40 / 50

Decisions

```
if x < y:
   print("x is less than y")
elif x > y:
   print("x is greater than y")
else:
   print("x and y must be equal")
```




(This was just a first glance, will do much more on decisions over the next several weeks.)

Today's Topics




- Recap: Colors
- 2D Arrays & Image Files
- Decisions
- Design Challenge: Airplanes

What is an Algorithm?




42 / 50


Characteristics of an Algorithm



43 / 50

Algorithm Design Cycle





 A classic write-an-algorithm challenge for introductory programming.



- A classic write-an-algorithm challenge for introductory programming.
- With a slight twist:



- A classic write-an-algorithm challenge for introductory programming.
- With a slight twist: refining designs



- A classic write-an-algorithm challenge for introductory programming.
- With a slight twist: refining designs
- After class:



- A classic write-an-algorithm challenge for introductory programming.
- With a slight twist: refining designs
- After class:
 - Write down your design (different style from the one in Lecture Quiz).



- A classic write-an-algorithm challenge for introductory programming.
- With a slight twist: refining designs
- After class:
 - Write down your design (different style from the one in Lecture Quiz).
 - Exchange your design and a blank sheet of paper (Input) with a family member or friend



- A classic write-an-algorithm challenge for introductory programming.
- With a slight twist: refining designs
- After class:
 - Write down your design (different style from the one in Lecture Quiz).
 - Exchange your design and a blank sheet of paper (Input) with a family member or friend.
 - ► Ask them to follow your design to build an airplane without consulting you.



- A classic write-an-algorithm challenge for introductory programming.
- With a slight twist: refining designs
- After class:
 - Write down your design (different style from the one in Lecture Quiz).
 - Exchange your design and a blank sheet of paper (Input) with a family member or friend.
 - Ask them to follow your design to build an airplane without consulting you.
 - When they are done, observe the folded airplane (Output) and revise your algorithm.



- A classic write-an-algorithm challenge for introductory programming.
- With a slight twist: refining designs
- After class:
 - Write down your design (different style from the one in Lecture Quiz).
 - Exchange your design and a blank sheet of paper (Input) with a family member or friend.
 - Ask them to follow your design to build an airplane without consulting you.
 - When they are done, observe the folded airplane (Output) and revise your algorithm.
 - Repeat until you are satisfied with your airplane.



Lecture Quiz

- Log-in to Gradescope
- Find LECTURE 4 Quiz
- Take the quiz
- You have 5 minutes

47 / 50

Recap



• In Python, we introduced:

Recap



- In Python, we introduced:
 - ► Recap: Colors
 - ► 2D Array & Image Files
 - ▶ Decisions

Practice Quiz & Final Questions







 $(\mathsf{NYTimes})$

(Hunter College)

(FDR 4 FP)

- Since you must pass the final exam to pass the course, we end every lecture with final exam review.
- Pull out something to write on (not to be turned in).

49 / 50

Practice Quiz & Final Questions







(NYTimes)

(Hunter College)

(FDR 4 FP)

- Since you must pass the final exam to pass the course, we end every lecture with final exam review.
- Pull out something to write on (not to be turned in).
- Lightning rounds:
 - write as much you can for 60 seconds;
 - followed by answer; and
 - ► repeat.
- Past exams are on the webpage (under Final Exam Information).
- We are starting with Fall 2019, Version 1.



Before next lecture, don't forget to:

Work on this week's Online Lab

50 / 50



Before next lecture, don't forget to:

- Work on this week's Online Lab
- Schedule an appointment to take the Quiz in lab 1001E Hunter North

CSci 127 (Hunter) Lecture 4 28 September 2021 50 / 50



Before next lecture, don't forget to:

- Work on this week's Online Lab
- Schedule an appointment to take the Quiz in lab 1001E Hunter North
- If you haven't already, schedule an appointment to take the Code Review (one every two weeks) in lab 1001E Hunter North



Before next lecture, don't forget to:

- Work on this week's Online Lab
- Schedule an appointment to take the Quiz in lab 1001E Hunter North
- If you haven't already, schedule an appointment to take the Code Review (one every two weeks) in lab 1001E Hunter North
- Submit this week's 5 programming assignments (programs 16-20)

50 / 50



Before next lecture, don't forget to:

- Work on this week's Online Lab
- Schedule an appointment to take the Quiz in lab 1001E Hunter North
- If you haven't already, schedule an appointment to take the Code Review (one every two weeks) in lab 1001E Hunter North
- Submit this week's 5 programming assignments (programs 16-20)
- If you need help, schedule an appointment for Tutoring in lab 1001E 11am-5pm



Before next lecture, don't forget to:

- Work on this week's Online Lab
- Schedule an appointment to take the Quiz in lab 1001E Hunter North
- If you haven't already, schedule an appointment to take the Code Review (one every two weeks) in lab 1001E Hunter North
- Submit this week's 5 programming assignments (programs 16-20)
- If you need help, schedule an appointment for Tutoring in lab 1001E 11am-5pm
- Take the Lecture Preview on Blackboard on Monday (or no later than 10am on Tuesday)