

Row:	SEAT:

FINAL EXAM F22 V1
 CSci 127: Introduction to Computer Science
 Hunter College, City University of New York

December 16, 2022

Exam Rules

- Show all your work. Your grade will be based on the work shown.
- The exam is closed book and closed notes with the exception of an 8 1/2" x 11" piece of paper filled with notes, programs, etc.
- When taking the exam, you may have with you pens and pencils, and your note sheet.
- You may not use a computer, calculator, tablet, phone, earbuds, or other electronic device.
- **Do not open this exam until instructed to do so.**

Hunter College regards acts of academic dishonesty (e.g., plagiarism, cheating on examinations, obtaining unfair advantage, and falsification of records and official documents) as serious offenses against the values of intellectual honesty. The College is committed to enforcing the CUNY Policy on Academic Integrity and will pursue cases of academic dishonesty according to the Hunter College Academic Integrity Procedures.

I understand that all cases of academic dishonesty will be reported to the Dean of Students and will result in sanctions.								
Name:								
EmpID:								
Email:								
Signature:								

ASCII TABLE

Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char
0	0	[NULL]	32	20	[SPACE]	64	40	@	96	60	`
1	1	[START OF HEADING]	33	21	!	65	41	A	97	61	a
2	2	[START OF TEXT]	34	22	"	66	42	B	98	62	b
3	3	[END OF TEXT]	35	23	#	67	43	C	99	63	c
4	4	[END OF TRANSMISSION]	36	24	\$	68	44	D	100	64	d
5	5	[ENQUIRY]	37	25	%	69	45	E	101	65	e
6	6	[ACKNOWLEDGE]	38	26	&	70	46	F	102	66	f
7	7	[BELL]	39	27	'	71	47	G	103	67	g
8	8	[BACKSPACE]	40	28	(72	48	H	104	68	h
9	9	[HORIZONTAL TAB]	41	29)	73	49	I	105	69	i
10	A	[LINE FEED]	42	2A	*	74	4A	J	106	6A	j
11	B	[VERTICAL TAB]	43	2B	+	75	4B	K	107	6B	k
12	C	[FORM FEED]	44	2C	,	76	4C	L	108	6C	l
13	D	[CARRIAGE RETURN]	45	2D	-	77	4D	M	109	6D	m
14	E	[SHIFT OUT]	46	2E	.	78	4E	N	110	6E	n
15	F	[SHIFT IN]	47	2F	/	79	4F	O	111	6F	o
16	10	[DATA LINK ESCAPE]	48	30	0	80	50	P	112	70	p
17	11	[DEVICE CONTROL 1]	49	31	1	81	51	Q	113	71	q
18	12	[DEVICE CONTROL 2]	50	32	2	82	52	R	114	72	r
19	13	[DEVICE CONTROL 3]	51	33	3	83	53	S	115	73	s
20	14	[DEVICE CONTROL 4]	52	34	4	84	54	T	116	74	t
21	15	[NEGATIVE ACKNOWLEDGE]	53	35	5	85	55	U	117	75	u
22	16	[SYNCHRONOUS IDLE]	54	36	6	86	56	V	118	76	v
23	17	[ENG OF TRANS. BLOCK]	55	37	7	87	57	W	119	77	w
24	18	[CANCEL]	56	38	8	88	58	X	120	78	x
25	19	[END OF MEDIUM]	57	39	9	89	59	Y	121	79	y
26	1A	[SUBSTITUTE]	58	3A	:	90	5A	Z	122	7A	z
27	1B	[ESCAPE]	59	3B	;	91	5B	[123	7B	{
28	1C	[FILE SEPARATOR]	60	3C	<	92	5C	\	124	7C	
29	1D	[GROUP SEPARATOR]	61	3D	=	93	5D]	125	7D	}
30	1E	[RECORD SEPARATOR]	62	3E	>	94	5E	^	126	7E	~
31	1F	[UNIT SEPARATOR]	63	3F	?	95	5F	_	127	7F	[DEL]

(Image from wikipedia commons)

1. (a) Fill in the code below to produce the output on the right:

```
languages = "Python&C++&Java&MIPS"
```

i. `cpp = languages[]`
`print(cpp)`

Output:

C++

ii. `python_mips =`
`for s in python_mips:`
`print()`

Output:

python
mips

- (b) Consider the following shell commands:

```
$ pwd  
/usr/john/cs127  
$ ls  
airbab.csv houses.csv p1_hello.py p2_flower.py programs
```

- i. What is the output for:

```
$ rm airbab.csv  
$ mkdir data  
$ mv *.csv data  
$ ls
```

Output:

- ii. What is the output for:

```
$ cd data  
$ pwd
```

Output:

- iii. What is the output for:

```
$ ls | grep csv | wc -l
```

Output:

2. (a) Select the color corresponding to the rgb values below:

i. `rgb = (0, 255, 255)`

black red cyan gray purple

ii. `rgb = "#009900"`

red green blue black white

iii. What is rgb values for yellow?

0, 0, 1 0, 1, 1 1, 0, 0 1, 0, 1 1, 1, 0

iv. What is the binary number equivalent of decimal number 50?

Decimal 50 = Binary

v. What is the Decimal number equivalent to Hexadecimal 2F?

Hexadecimal 2F = Decimal

(b) Given the list `fruits` below, fill in the code to produce the Output on the right:

```
fruits = ['apple', 'banana', 'coconut', 'dragon fruit', 'elderberry']
```

i.

```
for j in range():  
    print(fruits[])
```


Output:

```
apple  
coconut  
elderberry
```

ii.

```
import numpy as np  
import matplotlib.pyplot as plt  
img = np.ones( (10,10,3) )  
  = 0  
plt.imshow(img)  
plt.show()
```


Output:



iii.

```
import numpy as np  
import matplotlib.pyplot as plt  
img = np.ones( (10,10,3) )  
  = 0  
plt.imshow(img)  
plt.show()
```

Output:



3. (a) What is the value (True/False):

in1 = False

i. in2 = True

True

False

out = not in1 or not in2

in1 = True

ii. in2 = True

True

False

in3 = False

out = not (in1 and not in2) and in3

in1 = True


iii. in2 = False

in3 = not in1 or in2

out = not in1 or in2 and not in3

True

False



iv.

in1 = False

in2 = False


in3 = False

True

False

(b) Draw a circuit that implements the logical expression:

$(\text{not } in1 \text{ and not } in2) \text{ or } (in1 \text{ and } (in2 \text{ or not } in3))$



4. Consider the following functions:

```
def count(mylist, target):  
    num_occur = 0  
    for num in mylist:  
        if division(num, target  
            ):  
            num_occur += 1  
  
    return num_occur
```

```
def division(s, t):  
    if t == 0:  
        return False  
    else: return s % t == 0  
  
def main():  
    arr = [4, 6, 5, 9, 7, 2]  
    print(count(arr, 2))
```

(a) What are the formal parameters for `division()`?

(b) What are the actual parameters for `count()`?

(c) How many calls are made to `division()` after calling `main()`?

(d) What is the output after calling `main()`?

Output:

5. Design an algorithm that asks the user for the name of a text file containing a grid of numbers and loads it into a 2D array of integers(think like an image without the color channel). The program outputs the number of all elements in the grid that are multiple of 3.

Libraries:

Input:

Output:

Design Pattern:

- Search Find Min Find Max Find All

Principal Mechanisms (select all that apply):

- Single Loop Nested Loop Conditional (if/else) statement
 Indexing / Slicing `split()` `groupby()`

Process (as a concise and precise LIST OF STEPS / pseudocode):

(Assume libraries have already been imported.)

6. Consider the `violations.csv` dataset that reports violations issued by Business Integrity Commission for companies operating in the trade waste industry. A snapshot given in the image below:

VIOLATION NUM	VIOLATION ACCOUNT CITY	FINE AMOUNT	NUMBER OF COUNTS	DESCRIPTION OF RULE
TWC-219653	KINNELON	500	1	Removed collected or disposed of trade wa
TWC-218679	East Hanover	1000	1	Failed to timely notify Commission of a ma
TWC-211037	WOODSIDE	2500	1	Removed collected or disposed of trade wa
TWC-218495	BRONX	0	1	Failed to separate recyclable materials fro
TWC-212092	BRONX	400	1	Plates shall at all times be affixed in the m
TWC-213258	BRONX	200	1	Failed to timely notify Commission of a ma

Fill in the Python program below:

`#Read input data into data frame:`

`df =`

`#Print the maximum value in column 'NUMBER OF COUNTS'.`

`#Groups the data by 'VIOLATION ACCOUNT CITY' to extract data in WOODSIDE.`

`woodside =`

`#Print the average of FINE AMOUNT in Woodside.`

`#Find out the most common THREE rules violated.`

`#Hint: look at 'DESCRIPTION OF RULE' and value_counts method.`

7. Complete the following code.

Define `reverse` function, for a string, return its reversed version. For example, the return of `reverse("abc")` is `"cba"`.

Define `isPalindrome` function, if the given string is a palindrome, that is, the string read the same from left to right and from right to left, return `true`, otherwise, return `false`. For example, `isPalindrome("abc")` returns `false`, but `isPalindrome("aba")` returns `true`.

8. (a) What does the MIPS program below print:

Output:

- (b) Modify the program to print out behk. Shade in the box for each line that needs to be changed and rewrite the instruction below. Warning: you need to modify from the above code. Need to use j and beq commands.

- ADDI \$sp, \$sp, -7 # Set up stack
- ADDI \$t0, \$zero, 102 # Set \$t0 at 102 ('f')
- ADDI \$s2, \$zero, 6 # Use to test when you reach 6
- SETUP: SB \$t0, 0(\$sp) # Next letter in \$t0
- ADDI \$sp, \$sp, 1 # Increment the stack
- ADDI \$s2, \$s2, -1 # Decrement the counter by 1
- ADDI \$t0, \$t0, -1 # Decrement the letter by 1
- BEQ \$s2, \$zero, DONE # Jump to DONE if s2 == 0
- J SETUP # Else, jump back to SETUP
- DONE: ADDI \$t0, \$zero, 0 # Null (0) to terminate string
- SB \$t0, 0(\$sp) # Add null to stack
- ADDI \$sp, \$sp, -6 # Set up stack to print
- ADDI \$v0, \$zero, 4 # 4 is for print string
- ADDI \$a0, \$sp, 0 # Set \$a0 to stack pointer
- syscall # Print to the log

9. Fill in the C++ programs below to produce the Output on the right.

```

#include <iostream>
using namespace std;
int main()
{
    for(int i = 3; i <=  ;  ){
        cout << i*2 << endl;
    }
    return 0;
}

```

(a)

Output:

6
8
10
12

```


#include <iostream>
using namespace std;

int main()
{
    for (int i = 1; i <= 3; i++)
    {
        for (int j = 0; j < i; j++)
            cout << "*#";
        cout << endl;
    }

    return 0;
}

```

(b)

Output:

```

#include <iostream>
using namespace std;
int main(){
    for (int i = 5;  ;  ) {
        cout << i << endl;
    }
    return 0;
}

```

(c)

Output:

5
3
1

10. (a) Translate the following python program into a **complete C++ program**:

```
num = 0
while num <= 0:
    num = int(input("Enter a positive integer: "))

print("num =", num)
```

```
//include library and namespace
```

```
//main function signature
```

```
{
    //initialization
```

```
//loop line
```

```
//loop body
{
```

```
}
//return
```

```
}
```

- (b) Declare variables for miles and kilometers. Declare variable for choice. If choice is 1, then enter number of miles, and convert it to kilometers and print the result out. Otherwise, enter number of kilometers, and convert it to miles and print the result out.

1 mile = 1.6 kilometers 1 kilometer = 1 / 1.6 mile

Some sample input/output is as follows.

Enter a choice: 1

Enter number of miles: 2

2 miles = 3.2 kilometers

Enter a choice: 2

Enter number of kilometers: 5

5 kilometers = 3.125 miles

Just finish the code in main function. No need to write include library and main function signature and return statement.

```
//declare variables miles and kms (for kilometers).
```

```
//declare and obtain input for variable choice.
```

```
//Write if-statement when choice is 1:
```

```
//input miles, convert to kms (kilometers), and output result.
```

```
//Write else-statement: input kms (kilometers), convert to miles, and output result
```

SCRATCH PAPER

SCRATCH PAPER