

FINAL EXAM, VERSION 3
CSci 127: Introduction to Computer Science
Hunter College, City University of New York

21 May 2019

Answer Key:

1. (a) What will the following Python code print:

```
s = "57st^Street#63th^Street#Rosevelt^Island#21st^Street"
i. print(s.count('#'))
   print(s[24:32])
```

Answer Key:

3
Rosevelt

```
stops = s.split('#')
ri = stops[2]
ii. words = ri.split('^')
   print(words[1])
```

Answer Key:

Island

```
for station in stops:
iii.   print(station[-6:])
```

Answer Key:

Street
Street
Island
Street

(b) Consider the following shell commands:

```
$ ls  
data p40.py p41.py p55.cpp trees.csv
```

i. What is the output for:

```
$ ls *.py
```

Answer Key:

```
p40.py p41.py
```

ii. What is the output for:

```
$ cd data  
$ cd ../  
$ ls
```

Answer Key:

```
data p40.py p41.py p55.cpp trees.csv
```

iii. What is the output for:

```
$ ls *.csv | wc -l
```

Answer Key:

```
1
```

2. (a) For each row below containing a decimal and hexadecimal number, circle the **largest value** in the row (or “Equal” if both entries have the same value):

Answer Key:

	Decimal:	Hexadecimal:	Equal
a)	11	B	Equal
b)	19	13	Equal
c)	14	14	<i>Equal</i>
d)	300	FF	<i>Equal</i>
e)	15	10	<i>Equal</i>

(b) Given the function below

```
def decimalToBinaryString(decNum):
    binString = ""
    while decNum > 0:
        if decNum % 2 == 0:
            lead = '0'
        else:
            lead = '1'
        binString = lead + binString
        decNum = decNum // 2
    print(binString)
```

i. What is the output of `decimalToBinaryString(4)`

Answer Key:

100

ii. What is the output of `decimalToBinaryString(15)`

Answer Key:

1111

iii. What is the output of `decimalToBinaryString(25)`

Answer Key:

11001

3. (a) What is the value (True/False):

in1 = True

i. in2 = True

out = in1 and not (in2)

Answer Key:

out = False

in1 = False

ii. in2 = True

out = not in1 and (not in2 or in1)

Answer Key:

out = False

in1 = True


iii. in2 = False or not in1

in3 = not in1 or in2

out = in2 and not in3

Answer Key:

out = False



in1 = True

in2 = False

in3 = True


Answer Key:

out = False

(b) Design a circuit that implements the logical expression:

$((in1 \text{ and } in2) \text{ or } (\text{not } in1)) \text{ and } ((in2 \text{ or } \text{not } in3) \text{ and } in3)$

Answer Key:



4. (a) Draw the output for the function calls:

```
import turtle
```


```
def mystery1(tess, x, y):
    for i in range(2):
        tess.forward(x)
        tess.left(90)
        tess.forward(y)
        tess.left(90)
```

```
def mystery2(tina, s):
    mystery1(tina, s, s)
```

```
taj = turtle.Turtle()
```


- i. `mystery1(taj, 100, 20)`

Answer Key:



- ii. `mystery2(taj, 100)`

Answer Key:



- (b) Given the function definitions:

```
def enigma(n):
    for i in range(1,n+1):
        help(i)
        print()
```

```
def help(x):
    for j in range(x):
        print((x-j)*2,end=' ')
    print()
```

- i. What is the output for `enigma(5)`?

Answer Key:

2
4 2
6 4 2
8 6 4 2
10 8 6 4 2

5. Design an algorithm that prints out the number of “SDN” cars that were issued tickets after a user-specified date from the NYC parking tickets OpenData. Specify the libraries, inputs and outputs for your algorithm and give the design in pseudocode.

Summons Number	Plate ID	Registration State	Plate Type	Issue Date	Violation Code	Vehicle Body Type	Vehicle Make	Issuing Agency
1452304336	HDD4487	NY	PAS	03/01/2019	50	SUBN	HONDA	P
1452304312	HLB4369	NY	PAS	03/01/2019	50	SDN	NISSA	P
1454397573	GYC8645	NY	PAS	03/03/2019	46	SUBN	FORD	P
1454528242	797AD2	MA	PAS	03/11/2019	21	SUBN	JEEP	S
1440960963	HHY4596	NY	PAS	03/11/2019	21	SDN	TOYOT	S
1453641105	HXF9462	99	PAS	03/14/2019	21	SUBN	TOYOT	S
1449273531	HPJ5059	NY	PAS	03/14/2019	14	SDN	HONDA	P
1434121811	T772573C	NY	PAS	03/31/2019	19	SDN	TOYOT	P
1453583476	XDDY62	NJ	PAS	04/03/2019	14	DELV	FUS	P
1453282713	GVN2523	NY	PAS	04/03/2019	21	SUBN	TOYOT	S
1448651736	HPK2366	NY	PAS	04/04/2019	48	SDN	MITSU	P

Libraries:

Answer Key: pandas

Input:

Answer Key: The name of the CSV file and the year

Output:

Answer Key: The number of cars.

Process:

Answer Key:

- Ask user for file name and year.
- Open the file as a dataframe.
- Select all the rows where ‘Vehicle Body Type’ is ‘SDN’ and ‘Issue Date’ is after the date entered by the user.
- Print out the number of selected rows.

6. Fill in the Python program that will:
- prompt the user for the name of the input file
 - prompt the user for the name of the output file
 - read the image from the input file into a data frame
 - compute the height and width of the image
 - extract the **bottom quarter** of the image and save it to the output file



Answer Key:

```
#P6,V3: saves the bottom quarter of an image

#Import the libraries for storing and displaying images:
import numpy as np
import matplotlib.pyplot as plt

#Prompt user for input file name:
inFileName = input('Enter input image: ')

#Prompt user for output file name:
outFileName = input('Enter output image: ')

#Read image into a numpy array:
img = plt.imread(inFileName)

#Compute the height of the image
height = img.shape[0]

#Compute the width of the image
width = img.shape[1]

# Select bottom quarter and store in bottomQuarterImg
bottomQuarterImg = img[(height//4)*3:, :]

#Save the bottom quarter image
plt.imsave(outFileName, bottomQuarterImg)
```

7. Complete the following program, based on the payroll dataset in the image below and the comments in the functions:

Fiscal Year	Agency Name	Agency Start Date	Work Location Borough	Title Description	Base Salary	Pay Basis	Regular Hours	OT Hours
2018	BOARD OF ELECTION	07/28/2014	MANHATTAN	TEMPORARY CLERK	13.79	per Hour	234.18	75.75
2018	BOARD OF ELECTION	02/28/2016	QUEENS	TEMPORARY CLERK	15	per Hour	1664.55	87
2018	BOARD OF ELECTION	03/13/2016	BRONX	FINANCIAL CLERK	19.79	per Hour	1638.88	66.25
2018	BOARD OF ELECTION	10/02/2017	BRONX	TEMPORARY CLERK	15	per Hour	1195.75	57.5
2018	BOARD OF ELECTION	10/31/2016	BRONX	TEMPORARY CLERK	15	per Hour	1339.38	60.75
2018	BOARD OF ELECTION	06/11/2012	BRONX	TEMPORARY CLERK	15	per Hour	1258.75	58.25

Answer Key:

```
import pandas as pd

def readDataFrame():
    inFile = input('Enter input file name: ')
    salaries = pd.read_csv(inFile)
    return(salaries)

def alterDataFrame(df):
    newColName = input('Enter the name of the new column: ')
    df[newColName] = df['Base Salary'] * 1.5
    return(df, newColName)

def printColumnAverage(df, column):
    avg = df[column].mean()
    print(avg)

def main():
    df = readDataFrame()
    df2, newColName = alterDataFrame(df)
    printColumnAverage(df2, newColName)

if __name__ == '__main__':
    main()
```

8. (a) What are the values of register \$s0 for the run of this MIPS program:

```
#Sample program that loops down from 50
ADDI $s0, $zero, 50 #set s0 to 50
ADDI $s1, $zero, 5 #use to decrement counter, $s0
ADDI $s2, $zero, 10 #use to compare for branching
AGAIN: SUB $s0, $s0, $s1
BEQ $s0, $s2, DONE
J AGAIN
DONE: #To break out of the loop
```

Answer Key:

50
45
40
35
30
25
20
15
10

- (b) Indicate what modifications are needed to the MIPS program (repeated below) so that it decrements by 10 all the way down to 0 (shade in the box for each line that needs to be changed and rewrite the instruction in the space below).

Answer Key:

```
#Sample program that loops down from 50
ADDI $s0, $zero, 50 #set s0 to 50
ADDI $s1, $zero, 10 #use to decrement counter, $s0
ADDI $s2, $zero, 0 #use to compare for branching
AGAIN: SUB $s0, $s0, $s1
BEQ $s0, $s2, DONE
J AGAIN
DONE: #To break out of the loop
```

9. What is the output of the following C++ programs?

```
//Quote by George R.R. Martin, A Game of Thrones
#include <iostream>
using namespace std;
int main()
{
(a) cout << "When the snows fall ";
    cout << "and \nthe white winds blow,";
    cout << "\nthe lone wolf dies but";
    cout << endl << "the pack survives.\n";
    return 0;
}
```

Answer Key:

```
When the snows fall and
the white winds blow,
the lone wolf dies but
the pack survives.
```

```

//More GOT
#include <iostream>
using namespace std;
int main()
{
    int count = 0;
    while (count < 2) {
(b)    cout <<"If I look back I am lost. ";
        count++;
    }
    cout << "\nNothing burns like ";
    cout << "the cold." << endl;
    return 0;
}

```

Answer Key:

If I look back I am lost. If I look back I am lost.
Nothing burns like the cold.

```

//tic tac toe
#include <iostream>
using namespace std;
int main()
{
    int i, j;
    for (i = 0; i < 3; i++)
    {
(c)    for (j = 0; j < 3; j++)
        if ( j % 2 == 0)
            cout << "O";
        else
            cout << "X";
        cout << endl;
    }
    return 0;
}

```

Answer Key:

OXO
OXO
OXO

10. (a) Translate the following program into a **complete C++ program**:

```

#Python Loops, V3:
for i in range(0,50,5):
    print(i)

```

Answer Key:

```
//C++ Loop, V3
#include <iostream>
using namespace std;
int main()
{
    int i;
    for (i = 0; i < 50; i=i+5) {
        cout << i << endl;
    }
    return 0;
}
```

- (b) Write a **complete C++ program** to compute the ticket price to enter the Museum of Natural History. Your program must ask the user for their age and print “Child: \$12.50” if the age entered is 12 or less, “Adult: \$22.00” if the age entered is less than 65, and “Senior: \$17.00” otherwise.

Answer Key:

```
//Prints ticket price for the Museum of Natural History
#include <iostream>
using namespace std;
int main()
{
    cout << "Please enter your age: ";
    int age = 0;
    cin >> age;
    if (age <= 12)
        cout << "Child: $12.50\n";
    else if (age < 65)
        cout << "Adult: $22.00\n";
    else
        cout << "Senior: $17.00\n";
    return 0;
}
```